

BIDS AND AWARDS COMMITTEE

Supplemental Bid Bulletin No. 2

October 12, 2015

Supply, Delivery, Installation and Configuration of Various IT Equipment

This Supplemental Bid Bulletin No. 2 is issued to modify or amend the item in the Bid Documents. This shall form an integral part of the Bid Documents.

REFERENCE	AMENDMENT/CHANGE/CLARIFICATION
<p>Section III – Bid Data Sheet</p> <p><u>Page 41</u></p> <p>21. The address for submission of bids is at the DOF-BAC Secretariat, 7th Floor EDPC Bldg., BSP Complex, Roxas Blvd., Manila.</p> <p>The deadline for submission of bids is October 14, 2015, 9:45 AM. The official time is the clock located at the General Services Division.</p> <p>24.1. The place of bid opening is at the DFG Conference Room, 4th Floor, DOF Bldg. Roxas Blvd., Manila.</p> <p>The date and time of bid opening is October 14, 2015, 10:00 AM</p>	<p>Section III – Bid Data Sheet</p> <p><u>Page 41</u></p> <p>21. The address for submission of bids is at the DOF-BAC Secretariat, 7th Floor EDPC Bldg., BSP Complex, Roxas Blvd., Manila.</p> <p>The deadline for submission of bids is October 19, 2015, 9:45 AM. The official time is the clock located at the General Services Division.</p> <p>24.1. The place of bid opening is at the DFG Conference Room, 4th Floor, DOF Bldg. Roxas Blvd., Manila.</p> <p>The date and time of bid opening is October 19, 2015, 10:00 AM</p>
<p>Section VII – Technical Specifications</p> <p><u>Page 66</u></p> <p>Lot 1 – Computer, workstation, set</p> <p>Memory Maximum memory: 8GB DDR3-1600 SDRAM</p> <p>STORAGE Internal drive bays: One 2.5"; One 3.5" External drive bays: One 3.5"; One 5.25" Slim ODD Internal drive: 500 GB up to 2 TB SATA (7200 rpm) Optical drive: Slim SATA Blu-ray writer, Slim SATA</p>	<p>Section VII – Technical Specifications</p> <p><u>Page 66</u></p> <p>Lot 1 – Computer, workstation, set</p> <p>Memory Minimum memory: 8GB DDR3-1600 SDRAM</p> <p>STORAGE Delete Delete Internal drive: 1TB 7200 RPM SATA HD 6.0 gb/s Delete</p>

<p>SuperMulti DVD Writer Slim SATA DVD-ROM Media Card Reader: 22-in-1 Media Card Reader</p> <p><u>Page 67</u></p> <p>DIMENSIONS AND WEIGHT Dimensions (W x D x H): 33.8 x 37.9 x 10 cm</p> <p>DIMENSIONS AND WEIGHT Dimensions (W x D x H): 33.8 x 37.9 x 10 cm Weight: Starting at 7.6 kg</p> <p>SECURITY MANAGEMENT SATA port disablement (via BIOS)</p> <p>RAID (available as a configurable option) Power-on password (via BIOS) Setup password (via BIOS)</p> <p>Solenoid hood lock/sensor Support for chassis padlocks and cable lock devices</p>	<p>Delete Delete</p> <p><u>Page 67</u></p> <p>DIMENSIONS AND WEIGHT Dimensions (W x D x H): 33.8 x 37.9 x 10 cm (maximum)</p> <p>Delete Delete Delete</p> <p>SECURITY MANAGEMENT Delete</p> <p>RAID (available as a configurable option) Delete Delete Delete Delete</p>
<p><u>Page 68</u></p> <p>User controls (on-screen display): Brightness, contrast, positioning, color temperature (warm, standard, cool, custom), image control (clock, clock phrase, scaling, sharpness, DCR), monitor management, source control, information and factory reset Input power: 100 – 240 VAC, 50/60 Hz Power consumption: Maximum: 41.5 watts; Typical: 33 watts; Switch off Mode: ≤0.5 watts, Sleep Mode: ≤0.5 watts Dimensions (h x w x d): Packaged: 62,4 x 50,2 x 16,9 cm (24.57 x 19.76 x 6.65 in) Unpacked w/ stand: 55,15 x 24,9 x 35,1 to 46,7 cm Head only: 55,51 x 4, 95 x 33,42 cm (21.69 x 1.95 x 13.16 in) Weight: Unpacked: 6,8kg (15 lb); Packaged: 9,2 kg (20.3 lb) Head only: 4,1 kg (9.0 lb) Base features: Tilt: -5° to + 30° vertical; Swivel: +/- 360° horizontal; Pivot: 90° into portrait orientation; Height: 0 to 13 cm (0 to 5.1 in) adjustment range Environmental: Operating 5° to 35° C (41° to 95° F); Non-operating: -20° to 60° C (-34° to 140° F)</p>	<p><u>Page 68</u></p> <p>Delete</p> <p>Additional: USB Keyboard and mouse</p>
<p><u>Page 69</u></p> <p>Lot 2 – Colored Printer Print Speed Black: Up to 55 ppm (draft), 36 ppm (ISO)</p>	<p><u>Page 69</u></p> <p>Lot 2 – Colored Printer Print Speed Black: Up to 31 ppm</p>

<p>Colored: Up to 55 ppm (draft), 36 ppm (ISO)</p> <p>Paper Handling 500 sheet input tray; 300 ADF Envelope 300 sheet face down output</p> <p>Dimensions and weight Size (L x W x H cm): 51.7 x 39.9 x 51.7 xm</p> <p>Copy Speed Black: Up to 55cpm (draft), 36 cpm (ISO) Colored: Up to 55cpm (draft), 36 cpm (ISO)</p> <p>Fax Memory Up to 100 pages</p> <p>Resolution Black (standard): 203 x 98 dpi Color (standard): 200 x 200 dpi</p> <p>Duty Cycle Up to 50,000 pages</p> <p><u>Page 70</u></p> <p>Lot 3 – Laptop</p> <p>Processor: Intel Core M 5Y71 Processor (1.20GHz 1600MHz 4mb)</p> <p>Hard Drive: 512GB Solid State Hard Drive Graphics: Intel® HD Graphics 5300 Display: 13.3" WHD+ LED Glossy Multi-touch (3200X1800) (supports two total independent displays) Keyboard: BlackLiteAccuType Keyboard Battery: Up to 7.2 hours; 4 Cell 44.8 Watt Hour Li-Polymer Audio: Integrated JBL® stereo speakers with Waves Audio Certification Dimensions: 13" wide X 9" deep X 0.5" thin Weight: 2.62 pounds</p>	<p>Colored: Up to 31 ppm</p> <p>Paper Handling 250 sheets input tray: 50 ADF Delete</p> <p>Dimensions and weight Size (L x W x H cm): Maximum (32.5 x 36 x 35.3in)</p> <p>Delete Delete Delete Delete Delete Delete Delete Delete Delete</p> <p>Duty Cycle Up to 75,000 pages Warranty: 3 years parts & labor</p> <p><u>Page 70</u></p> <p>Lot 3 – Laptop</p> <p>Processor: Intel Core M 5Y71 Processor (1.20GHz 1600MHz 4mb) or Intel Core i5 – 200U (2.2GHZ, 3 MB cache, 2 cores) Hard Drive: 512GB mSATA SSD Graphics: Intel® HD Graphics 5300 (minimum) Display: 13.3" Multi-touch</p> <p>Keyboard: Full-size island – style backlit Battery: 3-cell or 4-cell, up to 7.2 hours Audio: Integrated JBL® stereo speakers with Waves Audio Certification or DTS studio sound Dimensions: 13" x 9" x .63 in (maximum) Weight: 3.17 lb (maximum)</p>
--	---

For guidance and information of all concerned.

GIL S. BELTRAN
Undersecretary and
BAC Chairman