

Republic of the Philippines DEPARTMENT OF FINANCE

Roxas Boulevard Corner Pablo Ocampo, Sr. Street Manila 1004

REQUEST FOR QUOTATION

		RFQ No. :	2025-0	7-0084
		Date :	July 18	3, 2025
Gentlemen	:			
Committee (B	bmit you AC) Cha		ect to the Bids and	Awards
QUANTITY	UNIT	ARTICLE / MERCHANDISE / SPECIFICATION	UNIT PRICE	TOTAL
3	рс	Laser Distance Meter, 100m	6,550.00	19,650.00
1	рс	Hand Pallet Truck, 3000kg	25,000.00	25,000.00

QUANTITY	UNII	ARTICLE / MERCHANDISE / SPECIFICATION	UNIT PRICE	TOTAL
3	рс	Laser Distance Meter, 100m	6,550.00	19,650.00
1	рс	Hand Pallet Truck, 3000kg	25,000.00	25,000.00
4	рс	Crocodile Jack (5 Tons)	28,750.00	115,000.00
2	рс	Portable Tire Air Compressor	9,715.00	19,430.00
1	рс	Car Engine Diagnostic Device	26,000.00	26,000.00
2	рс	Portable Jump Starter	2,600.00	5,200.00
3	рс	Tire Stopper Chock	492.00	1,476.00
3	рс	Motor Vehicle Tool Kit	4,800.00	14,400.00
10	pair	Cotton Gloves with Rubber Palm	85.00	850.00
		See attached Technical Specifications		
		NOTE: Please include the following required documents upon		
		submission of your proposal for evaluation purposes:		
		1. Mayor's/Business Permit	- 5 =	
		2. PhilGEPS Registration Number **For the bidder/s with Platinum Membership who opt to submit PhilGEPS Certificate, the validity of the Class "A" eligibility documents specified in Section 20.2.9 of the IRR of RA 12009 shall be effective for one (1) year, and updated within the period of its validity.		
		Additional required document to be submitted by the winning		
		supplier before the issuance of Purchase Order (PO):		
		3. Duly Notarized Omnibus Sworn Statement (OSS)	VAT included	227,006.00

After having carefully read and accepted your General conditions, I/We quote you on the item at prices noted above and bind ourselves to deliver the above articles/merchandise within _____ calendar days from receipt of your valid Purchase Order (PO). The quotations are good up to 60 days.

Canvassed by:	Supplier :	-
	By:	
	Tel. No.:	
	TIN No. :	



Republic of the Philippines DEPARTMENT OF FINANCE

Roxas Boulevard Corner Pablo Ocampo, Sr. Street Manila 1004

REQUEST FOR QUOTATION

		RFQ No. :	2025-0	7-0084
		Date :	July 18	, 2025
Gentlemen	:			
	Please	quote your lowest price on the item listed below, subject to the Genera	I Conditions at the	hack
Committee (B	bmit you AC) Cha	ur quotation duly signed by your representative in sealed envelope directairperson or thru the authorized canvasser of this Department not later the opening of the sealed quotation.	ct to the Bids and	
		/	AZ, Director IV nistration Office	3
QUANTITY	UNIT	ARTICLE / MERCHANDISE / SPECIFICATION	UNIT PRICE	TOTAL
3	рс	Laser Distance Meter, 100m		
1	рс	Hand Pallet Truck, 3000kg		
4	рс	Crocodiie Jack (5 Tons)		
2	рс	Portable Tire Air Compressor		
1	рс	Car Engine Diagnostic Device		
2	рс	Portable Jump Starter		
3	рс	Tire Stopper Chock		
3	рс	Motor Vehicle Tool Kit		
10	pair	Cotton Gloves with Rubber Palm		
		See attached Technical Specifications		
		NOTE: Please include the following required documents upon		
		submission of your proposal for evaluation purposes:		
		Mayor's/Business Permit PhilGEPS Registration Number **For the bidder/s with Platinum Membership who opt to submit PhilGEPS Certificate, the validity of the Class "A" eligibility documents specified in Section 20.2.9 of the IRR of RA 12009 shall be effective for one (1) year, and updated within the period of its validity. Additional Control of the Co		
		Additional required document to be submitted by the winning supplier before the issuance of Purchase Order (PO):		
		3. Duly Notarized Omnibus Sworn Statement (OSS)	VAT included	
		ving carefully read and accepted your General conditions, I/We	quote you on th	e item
		ve and bind ourselves to deliver the above articles/merchandise valid Purchase Order (PO). The quotations are good up to 60 d		calendar days
Canvassed b	oy:	Supplier : By : Tel. No.:		

TIN No.:

GENERAL CONDITIONS

- 1. The bidders are required to submit brochures, literatures, pictures and technical data pertaining to the brand and model of the equipment being offered.
- 2. The quotation will not be considered unless it is properly signed by the bidder's authorized representative.
- 3. All prizes quoted herein are valid and binding for a period of sixty (60) days.
- 4. Bidder shall be responsible for the source of his equipment.
- 5. Subject to the provisions of the preceeding paragraph, where awardee has accepted a Purchase Order (PO) but fails to deliver the required products within the time called for in the same order, he must return the order accompanied by written explanations within the period of delivery of the merchandise. Thereafter, if the awardee has not completed delivery within the period, the subject PO shall be cancelled and the award shall be withdrawn from that supplier. The DOF shall then purchase the required item from such other sources as it may determine, with the price difference to be charged against the defaulting awardee.
- 6. The DOF reserves the right to reject any or all quotations, to waive any formality therein or to accept such quotations as may be considered most advantageous to the government.

TECHNICAL SPECIFICATIONS

PROCUREMENT OF VARIOUS AUTOMOTIVE TOOLS AND EQUIPMENT RFQ No. 2025-07-0084 dated July 18, 2025

I. PROJECT SCOPE

The prospective supplier shall bid for the following item/s:

Item	Description	Quantity	Total ABC (VAT inclusive)
1	Laser Distance Meter, 100m	3	₱19,650.00
2	Hand Pallet Truck, 3000kg	1	₱25,000.00
3	Crocodile Jack (5 Tons)	4	₱115,000.00
4	Portable Tire Air Compressor	2	₱19,430.00
5	Car Engine Diagnostic Device	1	₱26,000.00
6	Portable Jump Starter	2	₱5,200.00
7	Tire Stopper Chock	3	₱1,476.00
8	Motor Vehicle Tool Kit	3	₱14,400.00
9	Cotton Gloves with Rubber Palm	10	₱850.00

II. TECHNICAL SPECIFICATIONS

Detailed minimum specifications of the items to be procured:

	ltem	Specifications
1.	Laser Distance Meter, 100m	Laser diode: 635 nm, < 1mW Measurement range: 0,50-50,00 Laser class: 2 Measurement accuracy, typical: +/- 1.5 mm Measurement range of incline measurement: 0 - 360° (4 x 90°) Measuring accuracy (typical): +/- 0.2° Measurement time, typical: < 0.5 s Measurement time, max.: 4 s Power supply: 2 x 1.5 V LR03 (AAA) Automatic deactivation: 5 min. Weight, approx: 0.1 kg Units of measurement: m/cm, ft/inch Memory capacity (values): 20 Battery lifetime, individual measurements, approx.: 10,000 Battery lifetime, operating time, approx.: 2.5 h Dust and splash protection: IP 54 Tripod thread: ½" One (1) Year Parts and Service Warranty
2.	Hand Pallet Truck, 3000kg	Capacity: 3000 kg

		Fork Size: 540mm (width) x 1150mm (length) Distance Between Forks: 220mm Minimum Fork Height: 85mm Maximum Fork Height: 200mm Steering Wheel Diameter: 200mm Steering Wheel Material: Polyurethane Load Roller Tandem: 80mm (diameter) x 70mm (width) Packaging: Plywood case
3.	Crocodile Jack (5 Tons)	Capacity: 5 Tons Maximum lifting height: 160mm to 560mm
4.	Portable Tire Air Compressor	Model: DCC018 Type: Compact, high-performance inflator Voltage: 18V Performance: High pressure output Free Air Delivery: Up to 14.7 Liters/min @ 2.4 BAR Max pressure: 11 Bar Power Source: 18V battery compatibility/240V AC adapter/12V vehicle adapter On-board 12V plug (vehicle accessory socket/ cigarette lighter socket) Additional Features: Durable and easy to use Bright LED light for better visibility Fast deflation capability With adapter for tires Can be used for vehicles Automatic shutoff
5.	Car Engine Diagnostic Device	Operating System: Android 10.0 Processor: Quad-core Cortex-A53, 2.0GH Memory: 2GB RAM + 32GB ROM Display: 8-inch IPS multi-touch capacitive touchscreen Resolution: 1280x800 Battery: 8000 mAh, up to 6 hours of continuous use Connectivity: Bluetooth 5.0 (for wireless connections), Type-C charging port Software: Supports two (2) years of free updates Special Functions: TPMS, SAS, Gear, Immo, and other commonly used reset function Other Features: ECU coding, active tests (bi-directional control), one-click update, remote diagnostic, quick support, testing report, data stream record & playback & print, diagnostic feedback, and more Languages: Supports multiple languages including English, French, Spanish, German, Russian, Korean, Japanese, Portuguese, Italian, Polish, and Dutch Rugged Design: Rubberized outer Protection and a rugged internal housing Vehicle Coverage: Supports over 10,000 car models Dual-System: Supports both car and truck dual-system diagnostic
6.	Portable Jump Starter	Battery capacity: 99800mAh

7. Tire Stopper Chock	Size: 160°80*30mm Weight: 340g USB Output: 5V/1A Jump Start: 12V Input: 15V1A/ 2A Full charging time: about 3 hours Starting current: 300A Peak current: 600A Operating temperature: -40~80°C For tyre size: 400mm – 80 mm Dimension: 210mm L x 200mm W x 150mm H Weight: 1.6kg
8. Motor Vehicle Tool Kit	12pcs- ½" Sockets: (6PT): 14, 15, 16,17, 18, 19, 20, 21, 24, 27, 30, 32MM 2pcs- ½" Spark Plug Sockets: 16mm&21mm 1pc- ½" Extension Bar: 5"-10" 2pcs- Ratchet Wrench: ½, ¼ 9pcs Combination Wrench: 8, 10, 11, 12, 13, 14, 17, 19, 22mm 2pcs- Universal Joint: ½", 1/4" 2pcs- ¼" Extension Bar 2"4 1pc- ¼" Flexible Extension Bar: 6" 1pc- ¼" Sliding T Bar 1pc- ¼" Spanner Handle 1pc- ¼" Hexagon Bit Coup: 8mm 17pcs- Bit Socket: T8, T10, T15, T20, T25, T30, T40, H3, H4, H5, H6, PH1, PH2, PZ1, SI4, SL5.5, SL7 15pcs- Shank BIT: T40, T45, T50, T55, H8, H10, H12, H14, PH3, PH4, PZ3, PZ4, SL8, SL10, SL12 13pcs- ½" Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm 1pc- Three Way Adaptor 1pc Bit Seat 1pc Box
9. Cotton Gloves with Rubber Palm	Material: Latex coated cotton. Construction: Cotton knitted gloves for comfort, with a latex coating on the palm for grip. Grip: Textured palm for enhanced grip, crucial for handling tasks. Intended Use: Heavy-duty applications, cargo handling, and work with slight sharp objects. Model: PH-LTXGLV10. Features: Heavy duty and high quality.

III.

SCHEDULE OF REQUIREMENTSThe supplier shall deliver the items to the Department of Finance of within 30 calendar days upon receipt of the Purchase Order.

IV.

CONFIDENTIALITY AND NON-DISCLOSURE AGREEMENTShall follow the DOF Confidentiality and Non-Disclosure Agreement.

I hereby certify to comply and deliver all the above requirements

Signature over Prir	nted Name of the Representative
Company Name : _	
Date Signed : _ Email/Phone No.:	

TECHNICAL SPECIFICATIONS

PROCUREMENT OF VARIOUS AUTOMOTIVE TOOLS AND EQUIPMENT RFQ No. 2025-07-0084 dated July 18, 2025

I. PROJECT SCOPE

The prospective supplier shall bid for the following item/s:

Item	Description	Quantity	Total ABC (VAT inclusive)
1	Laser Distance Meter, 100m	3	
2	Hand Pallet Truck, 3000kg	1	
3	Crocodile Jack (5 Tons)	4	
4	4 Portable Tire Air Compressor		
5	Car Engine Diagnostic Device	1	
6	Portable Jump Starter	2	
7	Tire Stopper Chock	3	
8	Motor Vehicle Tool Kit	3	
9	Cotton Gloves with Rubber Palm	10	

II. TECHNICAL SPECIFICATIONS

Detailed minimum specifications of the items to be procured:

Item	Specifications
1. Laser Distance Meter, 100m	Laser diode: 635 nm, < 1mW Measurement range: 0,50-50,00 Laser class: 2 Measurement accuracy, typical: +/- 1.5 mm Measurement range of incline measurement: 0 - 360° (4 x 90°) Measuring accuracy (typical): +/- 0.2° Measurement time, typical: < 0.5 s Measurement time, max.: 4 s Power supply: 2 x 1.5 V LR03 (AAA) Automatic deactivation: 5 min. Weight, approx: 0.1 kg Units of measurement: m/cm, ft/inch Memory capacity (values): 20 Battery lifetime, individual measurements, approx.: 10,000 Battery lifetime, operating time, approx.: 2.5 h Dust and splash protection: IP 54 Tripod thread: ½" One (1) Year Parts and Service Warranty
2. Hand Pallet Truck, 3000kg	Capacity: 3000 kg

		Fork Size: 540mm (width) x 1150mm (length) Distance Between Forks: 220mm Minimum Fork Height: 85mm Maximum Fork Height: 200mm Steering Wheel Diameter: 200mm Steering Wheel Material: Polyurethane Load Roller Tandem: 80mm (diameter) x 70mm (width) Packaging: Plywood case
3.	Crocodile Jack (5 Tons)	Capacity: 5 Tons Maximum lifting height: 160mm to 560mm
4.	Portable Tire Air Compressor	Model: DCC018 Type: Compact, high-performance inflator Voltage: 18V Performance: High pressure output Free Air Delivery: Up to 14.7 Liters/min @ 2.4 BAR Max pressure: 11 Bar Power Source: 18V battery compatibility/240V AC adapter/12V vehicle adapter On-board 12V plug (vehicle accessory socket/ cigarette lighter socket) Additional Features: Durable and easy to use Bright LED light for better visibility Fast deflation capability With adapter for tires Can be used for vehicles Automatic shutoff
5.	Car Engine Diagnostic Device	Operating System: Android 10.0 Processor: Quad-core Cortex-A53, 2.0GH Memory: 2GB RAM + 32GB ROM Display: 8-inch IPS multi-touch capacitive touchscreen Resolution: 1280x800 Battery: 8000 mAh, up to 6 hours of continuous use Connectivity: Bluetooth 5.0 (for wireless connections), Type-C charging port Software: Supports two (2) years of free updates Special Functions: TPMS, SAS, Gear, Immo, and other commonly used reset function Other Features: ECU coding, active tests (bi-directional control), one-click update, remote diagnostic, quick support, testing report, data stream record & playback & print, diagnostic feedback, and more Languages: Supports multiple languages including English, French, Spanish, German, Russian, Korean, Japanese, Portuguese, Italian, Polish, and Dutch Rugged Design: Rubberized outer Protection and a rugged internal housing Vehicle Coverage: Supports over 10,000 car models Dual-System: Supports both car and truck dual-system diagnostic
6.	Portable Jump Starter	Battery capacity: 99800mAh

7.	Tire Stopper Chock	Size: 160°80*30mm Weight: 340g USB Output: 5V/1A Jump Start: 12V Input: 15V1A/ 2A Full charging time: about 3 hours Starting current: 300A Peak current: 600A Operating temperature: -40~80°C For tyre size: 400mm – 80 mm Dimension: 210mm L x 200mm W x 150mm H Weight: 1.6kg
8.	Motor Vehicle Tool Kit	12pcs- ½" Sockets: (6PT): 14, 15, 16,17, 18, 19, 20, 21, 24, 27, 30, 32MM 2pcs- ½" Spark Plug Sockets: 16mm&21mm 1pc- ½" Extension Bar: 5"-10" 2pcs- Ratchet Wrench: ½, ¼ 9pcs Combination Wrench: 8, 10, 11, 12, 13, 14, 17, 19, 22mm 2pcs- Universal Joint: ½", 1/4" 2pcs- ¼" Extension Bar 2"4 1pc- ¼" Flexible Extension Bar: 6" 1pc- ¼" Spanner Handle 1pc- ¼" Spanner Handle 1pc- ¼" Hexagon Bit Coup: 8mm 17pcs- Bit Socket: T8, T10, T15, T20, T25, T30, T40, H3, H4, H5, H6, PH1, PH2, PZ1, SI4, SL5.5, SL7 15pcs- Shank BIT: T40, T45, T50, T55, H8, H10, H12, H14, PH3, PH4, PZ3, PZ4, SL8, SL10, SL12 13pcs- ¼" Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm 1pc- Three Way Adaptor 1pc Bit Seat 1pc Box
9.	Cotton Gloves with Rubber Palm	Material: Latex coated cotton. Construction: Cotton knitted gloves for comfort, with a latex coating on the palm for grip. Grip: Textured palm for enhanced grip, crucial for handling tasks. Intended Use: Heavy-duty applications, cargo handling,
		and work with slight sharp objects. Model: PH-LTXGLV10. Features: Heavy duty and high quality.

III. SCHEDULE OF REQUIREMENTS

The supplier shall deliver the items to the Department of Finance of within 30 calendar days upon receipt of the Purchase Order.

IV. CONFIDENTIALITY AND NON-DISCLOSURE AGREEMENT

Shall follow the DOF Confidentiality and Non-Disclosure Agreement.

I hereby certify to comply and deliver all the above requirements

Signature over F	Printed Name of the Representative
Company Name	r
Date Signed Email/Phone No	<u> </u>